

Trade Price List 1st April 2023 Revision 2

TERRACOTTA

Heating, Ventilation and
Roofing Products

Hepworth

TERRACOTTA

Contents

	Page
Introduction to Hepworth Terracotta	2-3
Key to abbreviations	2
Acceptance	3
Quick Guide	4-5
Quick Guide – Top Selling Terracotta Items	4-5
Flue Liners	6-7
Class A1 – Flue Liners and Bends	6-7
Chimney Pots	8
Chimney Pots	8
Ventilation Terminals	9
Ventilation Terminals	9
Fireplace	10
Fireplace Throat Units	10
Gas Terminals	11
Gas Terminals	11
Ridge Tiles	12-13
Angled Ridge Tiles	12
NEW Bulk Purchase Ridge Tiles	13
Airbricks	14
Airbricks	14
Numerical Index	15-16
Terracotta Websites	17
Important Notes	18
Quality assurance	18
Contact	18
Notes	19-20

Introduction to

Hepworth Terracotta

Hepworth Terracotta from Wavin offers a comprehensive range of products for the construction and ventilation of domestic flue and chimney systems including a range of chimney pots, ventilation terminals, gas terminals, ridge tiles and air bricks.

Key to abbreviations

B	Buff
R	Red
X	Blue/Black
CE	CE Mark

Important Notes

Where appropriate, the colour code is shown at the end of the Catalogue Number in the listing of Top Selling Items shown on pages 4 – 5.

Product photos are for example only and not representative of every fitting size.

For further product information and literature downloads visit:

www.hepworthterracotta.co.uk

Find your nearest Hepworth Terracotta Stockist with any web enabled device, simply type in your town or post code and press enter.

stockist.wavin.co.uk

Acceptance

a) British Standards Institution

Round and Square Flue Liners to BS EN 1457-1:2012 – Classification – A1.

Gas Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Ridge Tiles to BS EN 1304: 2013.

Airbricks to BS 493:1995.

b) CE Mark

CE – As of the 1st July 2013, the Construction Products Regulation (CPR) came into force. It is mandatory for any construction product covered by a harmonised European Norm (hEN) to have a Declaration of Performance (DoP) and an accompanying CE mark.

The product standards and ranges covered by the CPR and identified in this price list are:

BS EN 1457-1:2012 – Round and square flue liners

BS EN 13502:2002 – Stell Gas terminals

The CE is also marked on the actual product or product packaging. The specific DoP and CE mark details can be found and downloaded via www.hepworthterracotta.co.uk

c) HETAS Product Approval

A1 Flue liners – HETAS certificate no. DC033



Quick Guide – Top Selling Terracotta Items

Airbricks

Sales Rank		Product Cat No	Page
1	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Red	YA13R	14
2	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Red	YA14R	14
3	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Buff	YA13B	14
4	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Buff	YA14B	14
5	Airbrick, 215 x 215 x 50mm, Square Hole, Colour: Red	YA15R	14

Cavity Liners

Sales Rank		Product Cat No	Page
1	Cavity Liner, 215 x 65 x 200mm	YB11	14
2	Cavity Liner, 215 x 140 x 200mm	YB13	14
3	Cavity Liner, 215 x 215 x 200mm	YB15	14

Commissioning Pack

Sales Rank		Product Cat No	Page
1	Chimney Notice Plate & Certificate (As required by Building Regulations 2010 ADJ)	YPLATE1	7

Chimney Pots

Sales Rank		Product Cat No	Page
1	Roll Top, 300mm high, Colour: Red	YM17R	8
2	Roll Top, 450mm high, Colour: Red	YM19R	8
3	Cannon Head, 300mm high, Colour: Red	YM11R	8
4	Roll Top, 600mm high, Colour: Red	YM20R	8
5	Cannon Head, 450mm high, Colour: Red	YM13R	8

Firebricks

Sales Rank		Product Cat No	Page
1	Firebrick, 64mm	Y135	10
2	Firebrick, 76mm	Y136	10
3	Firebrick, 52mm	Y134	10
4	Firebrick, 38mm	Y133	10
5	Firebrick, 25mm	Y132	10

Fireplace Lintels & Adaptors

Sales Rank		Product Cat No	Page
1	Fireplace Lintel Y0600 for use with 600mm fireplace openings	Y0600	10
2	Flue Adaptor for 225mm round dia. flue liners	Y0225R	10
3	Corbel unit, 800mm	Y0800	10
4	Corbel unit, 1000mm	Y1000	10
5	Flue Adaptor for 250mm round dia. flue liners	Y0250R	10

Quick Guide – Top Selling Terracotta Items

Flue Liners (Class A1)

Sales Rank		Product Cat No	Page
1	Class A1 Flue Liner, 300mm long, 225mm dia. round	YE11C1	6
2	Class A1 Flue Liner, 300mm long, 185mm dia. round	YD11C1	6
3	Class A1 Flue Liner, 300mm long, 225mm square	YH18C1	6
4	Class A1 Flue Liner, 22.5° bend, 225mm dia. round	YE14C1	6
5	Class A1 Flue Liner, 300mm long, 300mm dia. round	YF16C1	6

Flue System Jointing Compound

Sales Rank		Product Cat No	Page
1	Sealant Cartridge, 300ml (will make approx. 4 x joints)	Y108	7

Gas Terminals

Sales Rank		Product Cat No	Page
1	Stell 150 Gas Terminal, 205mm ext. dia. Colour: Red	YK23R	11
2	Stell 150 Gas Terminal, 180mm ext. dia. Colour: Buff	YK22B	11

Ridge Tiles

Sales Rank		Product Cat No	Page
1	Capped Angle Ridge Tile, 450mm long, 105°, Col: Blue/Black	YR54X	12
2	Capped Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR53X	12
3	Capped Angle Ridge Tile, 450mm long, 115°, Col: Blue/Black	YR55X	12
4	Capped Angle Ridge Tile, 450mm long, 105°, Col: Red	YR54R	12
5	Plain Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR17X	12







Ventilation Terminals

Sales Rank		Product Cat No	Page
1	Fluvent, 190mm high, 180mm spigot dia, Colour: Red	YL12R	9
2	Bonnet Insert, 285mm high, 180mm spigot dia, Colour: Red	YL19R	9
3	Fluvent, 190mm high, 160mm spigot dia, Colour: Red	YL11R	9
4	Fluvent, 190mm high, 180mm spigot dia, Colour: Buff	YL12B	9
5	Mushroom Top, 180mm spigot dia, Colour: Red	YL15R	9




Hepworth

TERRACOTTA

Flue Liners





Description	Nom mm	Cat No	Pack Qty	Price Each £
	Height			
 Class A1 Round Straight Liners				
150mm Internal Diameter €€	300	YC16C1	39	38.73
185mm Internal Diameter €€	300	YD11C1	25	41.14
210mm Internal Diameter €€	300	YD18C1	40	53.69
225mm Internal Diameter €€	180	YE10C1	32	56.44
225mm Internal Diameter €€	300	YE11C1	32	55.25
250mm Internal Diameter €€	300	YF11C1	32	102.71
300mm Internal Diameter €€	300	YF16C1	18	148.88
 Class A1 Round 22¹/₂° Bend				
150mm Internal Diameter €€		YC19C1	39	91.73
185mm Internal Diameter €€		YD14C1	25	99.92
210mm Internal Diameter €€		YD21C1	20	186.78
225mm Internal Diameter €€		YE14C1	16	141.27
250mm Internal Diameter €€		YF12C1	16	234.14
300mm Internal Diameter €€		YF17C1	9	357.24
 Class A1 Round 30° Bend				
150mm Internal Diameter €€		YC20C1	39	91.73
185mm Internal Diameter €€		YD15C1	25	103.77
210mm Internal Diameter €€		YD22C1	20	186.78
225mm Internal Diameter €€		YE15C1	16	146.55
250mm Internal Diameter €€		YF13C1	16	234.14
300mm Internal Diameter €€		YF18C1	9	357.24
 Class A1 Round 37¹/₂° Bend				
185mm Internal Diameter €€		YD16C1	25	103.77
225mm Internal Diameter €€		YE16C1	16	146.49
300mm Internal Diameter €€		YF19C1	9	357.24
	Height			
 Class A1 Square Straight Liners				
185mm x 185mm Internal €€	300	YG11C1	25	53.30
225mm x 225mm Internal €€	300	YH18C1	32	93.83
300mm x 300mm Internal €€	300	YJ16C1	18	195.96
 Class A1 Square 22¹/₂° Bend				
185mm x 185mm Internal €€		YG14C1	25	129.76
225mm x 225mm Internal €€		YH21C1	16	238.49
300mm x 300mm Internal €€		YJ17C1	9	390.92

Hepworth**TERRACOTTA****Flue Liners**

Description	Nom mm	Cat No	Pack Qty	Price Each £
 <p>Class A1 Square 37¹/₂° Bend 185mm x 185mm Internal CE 225mm x 225mm Internal CE</p>		YG16C1 YH23C1	25 18	129.76 238.49
 <p>Flue System Jointing Compound Suitable for Clay Flue Liners and Gas Flue Blocks. Will make approx. 4 joints on 225mm diameter flue liners. (300ml cartridge, gun not included)</p>	300ml	Y108	12	37.35
 <p>Chimney Commissioning Pack (As required by the Building Regulations 2010 Approved Document J)</p> <p>Contents –</p> <ul style="list-style-type: none"> • 110mm x 105mm Aluminium Notice Plate • Special Marker Pen • Checklist Certificate and Explanatory Notes • Class A1 'Flue Size Selector' – Guide and Technical Information 		YPLATE1		36.73

Note: Flue Liners should be installed with the socket facing upwards.




Hepworth**TERRACOTTA****Chimney
Pots**

Description	Size mm	Cat No	Pack Qty	Price Each £
	Height			
 Cannon Head	300	YM11R	48	115.85
	300	YM11B	48	115.85
	300	YM11X	48	125.02
	375	YM12R	32	142.86
	450	YM13R	32	142.86
	450	YM13B	32	142.86
	450	YM13X	32	150.09
	600	YM14R	16	212.53
	600	YM14B	16	212.53
	600	YM14X	16	229.42
 Roll Top	300	YM17R	48	86.68
	300	YM17B	48	86.68
	300	YM17X	48	93.43
	375	YM18R	32	105.95
	375	YM18X	32	111.38
	450	YM19R	32	103.36
	450	YM19B	32	103.36
	450	YM19X	32	111.58
	600	YM20R	16	158.38
	600	YM20B	16	158.38
	600	YM20X	16	166.28
	750	YM21R	16	223.54
	750	YM21B	16	223.54
	750	YM21X	16	241.20
900	YM22R	16	299.51	
	900	YM22B	16	299.51
 Octagon Pot	600	YQ11B	12	625.00
	750	YQ12B	12	650.00
	900	YQ13B	12	675.00
 Rook	500	YQ35R	16	350.00
	500	YQ35B	16	350.00

Hepworth

TERRACOTTA

Ventilation Terminals

Description	Size mm	Cat No	Pack Qty	Price Each £
	Spigot Dia.			
 Fluvent Ventilates redundant flues only.	135	YL10R	48	130.60
	135	YL10B	48	130.60
	160	YL11R	48	122.14
	160	YL11B	48	122.14
	160	YL11X	48	152.51
	180	YL12R	48	118.81
	180	YL12B	48	118.81
	180	YL12X	48	128.64
	205	YL13R	36	130.60
	205	YL13B	36	130.60
	205	YL13X	36	141.50
	235	YL14R	36	130.60
235	YL14B	36	130.60	
 Mushroom Top Ventilates redundant flues only.	180	YL15R	12	135.50
	180	YL15B	12	135.50
	180	YL15X	12	142.26
 Bonnet Insert Ventilates redundant flues only.	135	YL17R	27	123.86
	160	YL18R	27	123.86
	180	YL19R	27	116.17
	180	YL19B	27	120.57
	180	YL19X	27	130.05
	205	YL20R	21	127.15
	205	YL20X	21	148.59

Warning: These terminals are not approved for use on operational flues (i.e. gas, oil, solid fuels). If a flue or chimney is brought back into operation and has a ventilation terminal in place, it should either be removed or replaced with a suitable pot or terminal appropriate to its new use and fuel type.







Recommended Chimney Pot and Ventilation Terminal combinations

Chimney Pot Top ID	Ventilation Terminal Spigot OD
150mm	135mm
185mm	160mm
210mm	180mm
225mm	205mm
250mm	235mm
300mm	N/A



Hepworth

TERRACOTTA

Fireplace

Description	Size mm	Cat No	Pack Qty	Price Each £
	W x H x D			
 <p>Fireplace Lintel 600 For use with fireplace openings up to 600mm wide. Note: The Fireplace Lintel 600 must be used with the appropriate flue liner adaptor from 185mm to 300mm round or 185mm to 225mm square.</p>	800x 215x560	Y0600		390.31
 <p>800mm Corbel Unit for Fireplace System For use with fireplace openings up to 800mm wide.</p>	1000x 140x560	Y0800		367.34
 <p>1000mm Corbel Unit for Fireplace System For use with fireplace openings up to 1000mm wide.</p>	1200x 140x560	Y1000		459.19
 <p>Flue Adaptor for Fireplace System – Round</p>				
185mm Round	580x 100x450	Y0185R		201.13
210mm Round	580x 100x450	Y0210R		201.13
225mm Round	580x 100x450	Y0225R		201.13
250mm Round	580x 100x450	Y0250R		264.17
300mm Round	580x 100x450	Y0300R		264.17
 <p>Flue Adaptor for Fireplace System – Square</p>				
185mm Square	580x 100x450	Y0185S		201.13
225mm Square	580x 100x450	Y0225S		232.76
	Height			
 <p>Firebricks All items are 230mm wide x 114mm deep</p>				
	25	Y132	100	9.87
	38	Y133	100	9.91
	52	Y134	100	10.28
	64	Y135	100	10.23
	76	Y136	100	10.72

Hepworth**TERRACOTTA****Gas
Terminals**

Description	Size mm	Cat No	Pack Qty	Price Each £
	Height			
 Stell 125 Gas Terminal 160mm Ext. Dia. €€ 180mm Ext. Dia. €€	345	YK18R	25	203.44
	345	YK19R	25	198.05
	345	YK19B	25	198.05
	345	YK19X	25	220.79
 Stell 150 Gas Terminal 180mm Ext. Dia. €€ 205mm Ext. Dia. €€	420	YK22R	25	257.99
	420	YK22B	25	257.99
	420	YK23R	25	297.13

Warning: Stell Gas Terminals are not suitable for use with solid fuel appliances or decorative fuel effect gas fires and inset live fuel effect gas fires, requiring a minimum 175mm diameter flue.



Recommended Chimney Pot and Gas Terminal combinations

Chimney Pot Top ID	Gas Terminal Spigot OD
185mm	160mm
210mm	180mm
225mm	205mm

Hepworth

TERRACOTTA

Ridge Tiles

Description	Angle	Cat No	Pack Qty	Price Each £	
	Degree				
 Plain Angle Length 450mm	75°	YR16R	100	42.40	
		YR16B	100	42.40	
		YR16X	100	44.37	
	Length 450mm	90°	YR17R	100	40.80
			YR17B	100	40.80
			YR17X	100	42.69
	Length 450mm	105°	YR18R	100	40.80
			YR18B	100	40.80
			YR18X	100	42.69
	Length 450mm	115°	YR19R	100	40.80
			YR19B	100	40.80
			YR19X	100	42.69
	Length 450mm	125°	YR20R	100	40.80
			YR20B	100	40.80
			YR20X	100	42.69
	Length 450mm	135°	YR21R	100	42.40
			YR21B	100	42.40
			YR21X	100	44.37
 Capped Angle Length 450mm	75°	YR52R	100	45.73	
		YR52B	100	50.16	
		YR52X	100	47.93	
	Length 450mm	90°	YR53R	100	44.06
			YR53B	100	44.06
			YR53X	100	46.27
	Length 450mm	105°	YR54R	100	44.06
			YR54B	100	44.06
			YR54X	100	46.27
	Length 450mm	115°	YR55R	100	44.06
			YR55B	100	44.06
			YR55X	100	46.27
	Length 450mm	125°	YR56R	100	44.06
			YR56B	100	44.06
			YR56X	100	46.27
	Length 450mm	135°	YR57R	100	45.73
			YR57B	100	45.73
			YR57X	100	47.93


Cat. No. Colour Suffix: R = Red, B = Buff, X = Blue/Black

Ridge tiles can be ordered in singles unless otherwise indicated.

Hepworth

TERRACOTTA

Ridge Tiles




Description	Angle	Cat No	Pack Qty	Price Each £
	Degree			
 Plain Angle – Pallet Qty[^] Length 450mm	90°	YR67R	100	26.33
		YR67X	100	26.87
	105°	YR68R	100	26.33
		YR68X	100	26.87
	115°	YR69R	100	26.33
	YR69X	100	26.87	
	125°	YR70X	100	26.87
 Capped Angle – Pallet Qty[^] Length 450mm	90°	YR73R	100	27.42
		YR73X	100	27.98
	105°	YR74R	100	27.42
		YR74X	100	27.98
	115°	YR75R	100	27.42
		YR75X	100	27.98
	125°	YR76R	100	27.42
	YR76X	100	27.98	

[^] Bulk purchase ridge tiles can only be purchased in pallet quantities of 100.

Hepworth

TERRACOTTA

Airbricks

Description	Size mm	Cat No	Pack Qty	Price Each £
 Square Hole	W x H			
	215x65	YA13R	100	7.91
		YA13B	100	7.91
		YA13X	100	9.79
	215x140	YA14R	105	11.75
		YA14B	105	11.75
		YA14X	105	14.89
	215x215	YA15R	50	29.54
		YA15B	50	29.54
YA15X		50	33.79	
 Louvered Hole	215x65	YA16R	100	9.18
		YA16B	100	9.18
		YA16X	100	11.74
	215x140	YA17R	105	15.02
		YA17B	105	15.02
		YA17X	105	19.25
 Cavity Liners	W x H x D			
	215x65 x200	YB11	100	14.31
	215x140 x200	YB13	80	15.84
	215x215 x200	YB15	30	40.77

Numerical Index

Cat No	Price Each £	Page No	Cat No	Price Each £	Page No	Cat No	Price Each £	Page No
Y0600	390.31	10	YF17C1	357.24	6	YM17X	93.43	8
Y108	37.35	7	YF18C1	357.24	6	YM18R	105.95	8
Y132	9.87	10	YF19C1	357.24	6	YM18X	111.38	8
Y133	9.91	10	YG11C1	53.30	6	YM19B	103.36	8
Y134	10.28	10	YG14C1	129.76	6	YM19R	103.36	8
Y135	10.23	10	YG16C1	129.76	7	YM19X	111.58	8
Y136	10.72	10	YH18C1	93.83	6	YM20B	158.38	8
Y0185R	201.13	10	YH21C1	238.49	6	YM20R	158.38	8
Y0185S	201.13	10	YH23C1	238.49	7	YM20X	166.28	8
Y0210R	201.13	10	YJ16C1	195.96	6	YM21B	223.54	8
Y0225R	201.13	10	YJ17C1	390.92	6	YM21R	223.54	8
Y0225S	232.76	10	YK18R	203.44	11	YM21X	241.20	8
Y0250R	264.17	10	YK19B	198.05	11	YM22B	299.51	8
Y0300R	264.17	10	YK19R	198.05	11	YM22R	299.51	8
Y0800	367.34	10	YK19X	220.79	11	YPLATE1	36.73	7
Y1000	459.19	10	YK22B	257.99	11	YQ11B	625.00	8
YA13B	7.91	14	YK22R	257.99	11	YQ12B	650.00	8
YA13R	7.91	14	YK23R	297.13	11	YQ13B	675.00	8
YA13X	9.79	14	YL10B	130.60	9	YQ35B	350.00	8
YA14B	11.75	14	YL10R	130.60	9	YQ35R	350.00	8
YA14R	11.75	14	YL11B	122.14	9	YR16B	42.40	12
YA14X	14.89	14	YL11R	122.14	9	YR16R	42.40	12
YA15B	29.54	14	YL11X	152.51	9	YR16X	44.37	12
YA15R	29.54	14	YL12B	118.81	9	YR17B	40.80	12
YA15X	33.79	14	YL12R	118.81	9	YR17R	40.80	12
YA16B	9.18	14	YL12X	128.64	9	YR17X	42.69	12
YA16R	9.18	14	YL13B	130.60	9	YR18B	40.80	12
YA16X	11.74	14	YL13R	130.60	9	YR18R	40.80	12
YA17B	15.02	14	YL13X	141.50	9	YR18X	42.69	12
YA17R	15.02	14	YL14B	130.60	9	YR19B	40.80	12
YA17X	19.25	14	YL14R	130.60	9	YR19R	40.80	12
YB11	14.31	14	YL15B	135.50	9	YR19X	42.69	12
YB13	15.84	14	YL15R	135.50	9	YR20B	40.80	12
YB15	40.77	14	YL15X	142.26	9	YR20R	40.80	12
YC16C1	38.73	6	YL17R	123.86	9	YR20X	42.69	12
YC19C1	91.73	6	YL18R	123.86	9	YR21B	42.40	12
YC20C1	91.73	6	YL19B	120.57	9	YR21R	42.40	12
YD11C1	41.14	6	YL19R	116.17	9	YR21X	44.37	12
YD14C1	99.92	6	YL19X	130.05	9	YR52B	50.16	12
YD15C1	103.77	6	YL20R	127.15	9	YR52R	45.73	12
YD16C1	103.77	6	YL20X	148.59	9	YR52X	47.93	12
YD18C1	53.69	6	YM11B	115.85	8	YR53B	44.06	12
YD21C1	186.78	6	YM11R	115.85	8	YR53R	44.06	12
YD22C1	186.78	6	YM11X	125.02	8	YR53X	46.27	12
YE10C1	56.44	6	YM12R	142.86	8	YR54B	44.06	12
YE11C1	55.25	6	YM13B	142.86	8	YR54R	44.06	12
YE14C1	141.27	6	YM13R	142.86	8	YR54X	46.27	12
YE15C1	146.55	6	YM13X	150.09	8	YR55B	44.06	12
YE16C1	146.49	6	YM14B	212.53	8	YR55R	44.06	12
YF11C1	102.71	6	YM14R	212.53	8	YR55X	46.27	12
YF12C1	234.14	6	YM14X	229.42	8	YR56B	44.06	12
YF13C1	234.14	6	YM17B	86.68	8	YR56R	44.06	12
YF16C1	148.88	6	YM17R	86.68	8	YR56X	46.27	12

Numerical Index

Cat No	Price Each £	Page No
YR57B	45.73	12
YR57R	45.73	12
YR57X	47.93	12
YR67R	26.33	13
YR67X	26.87	13
YR68R	26.33	13
YR68X	26.87	13
YR69R	26.33	13
YR69X	26.87	13
YR70X	26.87	13
YR73R	27.42	13
YR73X	27.98	13
YR74R	27.42	13
YR74X	27.98	13
YR75R	27.42	13
YR75X	27.98	13
YR76R	27.42	13
YR76X	27.98	13


Hepworth Terracotta Website

For further product information and literature downloads visit:

www.hepworthterracotta.co.uk

Literature downloads include:

- Product Guide
- Datasheets
 - Ridge Tile Installation Guide
 - Standard Ridge Angle Calculator
 - Flue Liner Offset and Height Dimensions
 - Class A1 Flue Size Selector
 - Fireback Installation
 - Flue and Chimney Construction Guide
 - Chimney Notice Plate Data Sheet
 - Ventilation Terminal Selection
 - Airbrick Datasheet
 - Checklist Certificate for Hearths, Fireplaces, Flues and Chimneys
 - Declaration of Performance Certificates
 - Material Safety Datasheets
- Price List



Important Notes

All purchases are subject to our standard terms and conditions of sale, available at www.wavin.co.uk/general-conditions or call for a copy.

Prices are subject to VAT at the current rate.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice. All information in this publication is believed to be correct at time of going to press. However, no responsibility can be accepted for any errors or omissions.

Quality assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2015, Certificate No. 0126863.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2015.

Contact

Orders and enquiries	0800 038 0088
Technical advice	hepworth.terracotta@wavin.com
Address	Wavin Limited Edlington Lane Edlington Doncaster South Yorkshire DN12 1BY
Website	www.hepworthterracotta.co.uk

Hepworth

TERRACOTTA

Notes

Hepworth

TERRACOTTA

Notes

Hepworth Terracotta Product Guide



Download from
hepworthterracotta.co.uk

Wavin Limited
 Edlington Lane
 Edlington
 Doncaster
 South Yorkshire DN12 1BY
www.hepworthterracotta.co.uk